

Q.PEAK DUO-G8+ 340-360

ENDURING HIGH PERFORMANCE







Q.ANTUM TECHNOLOGY: LOW LEVELISED COST OF ELECTRICITY

Higher yield per surface area, lower BOS costs, higher power classes, and an efficiency rate of up to 20.4%.



ப் ப

low-light and temperature behaviour.

INNOVATIVE ALL-WEATHER TECHNOLOGY Optimal yields, whatever the weather with excellent



Long-term yield security with Anti LID Technology, Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q[™].



EXTREME WEATHER RATING

High-tech aluminium alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa).



A RELIABLE INVESTMENT

Inclusive 25-year product warranty and 25-year linear performance warranty².



STATE OF THE ART MODULE TECHNOLOGY

Q.ANTUM DUO combines cutting edge cell separation and innovative wiring with Q.ANTUM Technology.

 1 APT test conditions according to IEC/TS 62804-1:2015, method B (–1500V, 168h) 2 See data sheet on rear for further information.

THE IDEAL SOLUTION FOR:






Rooftop arrays on commercial/industrial buildings



MECHANICAL SPECIFICATION

Format	1740 mm × 1030 mm × 32 mm (including frame)
Weight	19.9 kg
Front Cover	3.2mm thermally pre-stressed glass with anti-reflection technology
Back Cover	Composite film
Frame	Black anodised aluminium
Cell	6 × 20 monocrystalline Q.ANTUM solar half cells
Junction box	53-101 mm × 32-60 mm × 15-18 mm Protection class IP67, with bypass diodes
Cable	4 mm² Solar cable; (+) ≥1150 mm, (−) ≥1150 mm
Connector	Stäubli MC4, Hanwha Q CELLS HQC4; IP68




ELECTRICAL CHARACTERISTICS

MUM PERFORMANCE AT STANDARD			340	345	350	355	360
	TEST CONDITIO	NS, STC ¹ (PO	WER TOLERANCE	+5W/-0W)			
Power at MPP ¹	P _{MPP}	[W]	340	345	350	355	360
Short Circuit Current ¹	I _{sc}	[A]	10.63	10.68	10.74	10.79	10.84
Open Circuit Voltage ¹	V _{oc}	[V]	40.20	40.45	40.70	40.95	41.19
Current at MPP	IMPP	[A]	10.12	10.17	10.22	10.28	10.33
Voltage at MPP	V _{MPP}	[V]	33.61	33.92	34.24	34.55	34.85
Efficiency1	η	[%]	≥19.0	≥19.3	≥19.5	≥19.8	≥20.1
MUM PERFORMANCE AT NORMAL O	PERATING CON	DITIONS, NM	OT ²				
Power at MPP	P _{MPP}	[W]	254.6	258.4	262.1	265.9	269.6
Short Circuit Current	I _{sc}	[A]	8.56	8.61	8.65	8.69	8.74
Open Circuit Voltage	V _{oc}	[V]	37.91	38.14	38.38	38.61	38.85
Current at MPP	I _{MPP}	[A]	7.96	8.00	8.05	8.09	8.13
Voltage at MPP	V _{MPP}	[V]	31.98	32.28	32.57	32.87	33.16
	Short Circuit Current ¹ Open Circuit Voltage ¹ Current at MPP Voltage at MPP Efficiency ¹ MUM PERFORMANCE AT NORMAL O Power at MPP Short Circuit Current Open Circuit Voltage Current at MPP	Short Circuit Current ¹ Isc Open Circuit Voltage ¹ Voc Current at MPP Impp Voltage at MPP Vmpp Efficiency ¹ ŋ MUM PERFORMANCE AT NORMAL OPERATING COND Power at MPP Pmpp Short Circuit Current Isc Open Circuit Voltage Voc Current at MPP Impp	Short Circuit Current ¹ Isc [A] Open Circuit Voltage ¹ V _{oc} [V] Current at MPP I _{MPP} [A] Voltage at MPP V _{MPP} [V] Efficiency ¹ ŋ [%] MUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMU Power at MPP P _{MPP} Power at MPP P _{MPP} [W] Short Circuit Current Isc [A] Open Circuit Voltage V _{oc} Ourrent at MPP I _{MPP} [A] Current at MPP	Short Circuit Current ¹ I I <thi< th=""> I I <thi< <="" td=""><td>Short Circuit Current¹ I <thi< th=""> I I <thi< t<="" td=""><td>Short Circuit Current¹ I_{SC} [A] 10.63 10.68 10.74 Open Circuit Voltage¹ V_{OC} [V] 40.20 40.45 40.70 Current at MPP I_{MPP} [A] 10.12 10.17 10.22 Voltage at MPP V_{MPP} [V] 33.61 33.92 34.24 Efficiency¹ η [%] ≥19.0 ≥19.3 ≥19.5 MUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT² Power at MPP P_{MPP} [W] 254.6 258.4 262.1 Short Circuit Current I_{SC} [A] 8.56 8.61 8.65 Open Circuit Voltage V_{OC} [V] 37.91 38.14 38.38 Current at MPP I_{MPP} [A] 7.96 8.00 8.05</td><td>Short Circuit Current¹ I<</td></thi<></thi<></td></thi<></thi<>	Short Circuit Current ¹ I I <thi< th=""> I I <thi< t<="" td=""><td>Short Circuit Current¹ I_{SC} [A] 10.63 10.68 10.74 Open Circuit Voltage¹ V_{OC} [V] 40.20 40.45 40.70 Current at MPP I_{MPP} [A] 10.12 10.17 10.22 Voltage at MPP V_{MPP} [V] 33.61 33.92 34.24 Efficiency¹ η [%] ≥19.0 ≥19.3 ≥19.5 MUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT² Power at MPP P_{MPP} [W] 254.6 258.4 262.1 Short Circuit Current I_{SC} [A] 8.56 8.61 8.65 Open Circuit Voltage V_{OC} [V] 37.91 38.14 38.38 Current at MPP I_{MPP} [A] 7.96 8.00 8.05</td><td>Short Circuit Current¹ I<</td></thi<></thi<>	Short Circuit Current ¹ I_{SC} [A] 10.63 10.68 10.74 Open Circuit Voltage ¹ V_{OC} [V] 40.20 40.45 40.70 Current at MPP I_{MPP} [A] 10.12 10.17 10.22 Voltage at MPP V_{MPP} [V] 33.61 33.92 34.24 Efficiency ¹ η [%] ≥19.0 ≥19.3 ≥19.5 MUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT ² Power at MPP P_{MPP} [W] 254.6 258.4 262.1 Short Circuit Current I_{SC} [A] 8.56 8.61 8.65 Open Circuit Voltage V_{OC} [V] 37.91 38.14 38.38 Current at MPP I_{MPP} [A] 7.96 8.00 8.05	Short Circuit Current ¹ I I<


¹Measurement tolerances P_{MPP} ±3%; I_{SC}; V_{OC} ±5% at STC: 1000 W/m², 25±2°C, AM 1.5 according to IEC 60904-3 • 2800 W/m², NMOT, spectrum AM 1.5

Q CELLS PERFORMANCE WARRANTY



At least 98% of nominal power during first year. Thereafter max. 0.54% degradation per year. At least 93.1% of nominal power up to 10 years. At least 85% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.



Typical module performance under low irradiance conditions in comparison to STC conditions (25 $^{\circ}\text{C},$ 1000 W/m²).

TEMPERATURE COEFFICIENTS

Temperature Coefficient of I _{sc}	α	[%/K]	+0.04	Temperature Coefficient of Voc	β	[%/K]	-0.27
Temperature Coefficient of P _{MPP}	γ	[%/K]	-0.35	Nominal Module Operating Temperature	NMOT	[°C]	43±3

PROPERTIES FOR	SVSTEM DESIGN
FROFERIESFOR	

Maximum System Voltage	V _{SYS}	[V]	1000	PV module classification	Class II
Maximum Reverse Current	I _R	[A]	20	Fire Rating based on ANSI / UL 1703	C/TYPE 2
Max. Design Load, Push/Pull		[Pa]	3600/2667	Permitted Module Temperature	-40°C - +85°C
Max. Test Load, Push / Pull		[Pa]	5400/4000	on Continuous Duty	

QUALIFICATIONS AND CERTIFICATES	PACKAGING INFORMATION			
VDE Quality Tested, IEC 61215:2016; IEC 61730:2016;	Number of Modules per Pallet	32		
This data sheet complies with DIN EN 50380.	Number of Pallets per Trailer (24t)	28		
	Number of Pallets per 40' HC-Container (26t)	24		
	Pallet Dimensions (L × W × H)	1815 × 1150 × 1220 mm		
	Pallet Weight	683 kg		

Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS GmbH

Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Germany | TEL +49 (0)3494 66 99-23444 | FAX +49 (0)3494 66 99-23000 | EMAIL sales@q-cells.com | WEB www.q-cells.com

